L Number	Hits	Search Text	DB	Time stamp
•	177	interact\$4 adj debug\$4	USPAT; US-PGPUB; EPO; JPO;	2003/05/20 14:04
•	173381	real adj time\$	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/20 13:59
-	2	(interact\$4 adj debug\$4) with (real adj	DERWENT; IBM_TDB USPAT;	2003/05/20
		time\$)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	13:59
-	23164	multi-channel\$ or multi-service\$	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/20 15:21
-	O	(debug\$4 with remot\$4 with (real adj time\$)) same (multi-channel\$ or multi-service\$)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/20 14:10
-	1	(debug\$4 with remot\$4 with (real adj time\$)) and (multi-channel\$ or multi-service\$)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/20 14:10
	23	debug\$4 with remot\$4 with (real adj time\$)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/20 14:50
-	281344	(monitor\$4 or track\$4 or check\$4) with data	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/05/20 14:57
	31897	current adj state\$	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/05/20 14:58
-	261331	(service\$ adj stack\$) or socket\$	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/05/20 15:05
			EPO; JPO; DERWENT; IBM_TDB	

-	13535	(read\$4 or modify\$4) adj state\$	USPAT;	2003/05/20
			US-PGPUB;	15:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5417	dynamic\$4 adj allocat\$	USPAT;	2003/05/20
			US-PGPUB;	15:09
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
-	9	dynamic\$4 adj de-allocat\$	USPAT;	2003/05/20
			US-PGPUB;	15:09
			EPO; JPO;	10.00
			DERWENT;	
			IBM_TDB	
_	1687	collect\$4 adj statistic\$	USPAT;	2003/05/20
		Julioty auj statisticy	US-PGPUB;	16:08
			· · · · · · · · · · · · · · · · · · ·	10100
			EPO; JPO;	
			DERWENT;	
	00206		IBM_TDB	0000/05/00
•	99206	operating adj system	USPAT;	2003/05/20
			US-PGPUB;	15:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	498	measur\$4 adj bandwidth\$	USPAT;	2003/05/20
	1		US-PGPUB;	_. 15:14
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	354	allocat\$4 adj3 copy	USPAT;	2003/05/20
-		•	US-PGPUB;	15:15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1835	simulat\$4 adj environment	USPAT;	2003/05/20
			US-PGPUB;	15:16
1			EPO; JPO;	ĺ
			DERWENT;	
			IBM_TDB	
-	670410	network\$	USPAT;	2003/05/20
1			US-PGPUB;	15:16
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	993	target\$ adj construct	USPAT;	2003/05/20
			US-PGPUB;	15:19
			EPO; JPO;	
			DERWENT;	
]		IBM_TDB	
L			10111_100	

	,			
-	23	(debug\$4 with remot\$4 with (real adj	USPAT;	2003/05/20
		time\$)) with debug\$4	US-PGPUB;	15:22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	4	(multi-channel\$ or multi-service\$) with	USPAT;	2003/05/20
		debug\$4	US-PGPUB;	15:41
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(interact\$4 adj debug\$4) same (target\$ adj	USPAT;	2003/05/20
		construct) same ((monitor\$4 or track\$4 or	US-PGPUB;	15:43
		check\$4) with data)	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
_	2	(interact\$4 adj debug\$4) and (target\$ adj	USPAT;	2003/05/20
		construct) and ((monitor\$4 or track\$4 or	US-PGPUB;	15:44
		check\$4) with data)	EPO; JPO;	
		oncont i, mai data,	DERWENT;	
		•	IBM_TDB	
_	o	(interact\$4 adj debug\$4) same ((service\$	_	2002/0E/20
_	•		USPAT;	2003/05/20
		adj stack\$) or socket\$)	US-PGPUB;	15:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	18	(interact\$4 adj debug\$4) and ((service\$ adj	USPAT;	2003/05/20
		stack\$) or socket\$)	US-PGPUB;	15:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	0	((((interact\$4 adj debug\$4) and ((service\$	USPAT;	2003/05/20
		adj stack\$) or socket\$)) and ((read\$4 or	US-PGPUB;	15:45
		modify\$4) adj state\$)) and (dynamic\$4 adj	EPO; JPO;	
]	allocat\$)) and (dynamic\$4 adj de-allocat\$)	DERWENT;	
			IBM_TDB	
•	3	(((interact\$4 adj debug\$4) and ((service\$ adj	USPAT;	2003/05/20
•		stack\$) or socket\$)) and ((read\$4 or	US-PGPUB;	15:45
		modify\$4) adj state\$)) and (dynamic\$4 adj	EPO; JPO;	
		allocat\$)	DERWENT;	
			IBM_TDB	
_	4	((interact\$4 adj debug\$4) and ((service\$ adj	USPAT;	2003/05/20
		stack\$) or socket\$)) and ((read\$4 or	US-PGPUB;	16:03
]	modify\$4) adj state\$)	-	10.03
		mounger; auj states;	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	4	((interact\$4 adj debug\$4) and ((service\$ adj	USPAT;	2003/05/20
		stack\$) or socket\$)) and (collect\$4 adj	US-PGPUB;	16:08
		statistic\$)	EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

		_		
•	4	(((interact\$4 adj debug\$4) and ((service\$ adj	USPAT;	2003/05/20
		stack\$) or socket\$)) and (collect\$4 adj	US-PGPUB;	16:08
		statistic\$)) and (operating adj system)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	O	((((interact\$4 adj debug\$4) and ((service\$	USPAT;	2003/05/20
		adj stack\$) or socket\$)) and (collect\$4 adj	US-PGPUB;	16:08
		statistic\$)) and (operating adj system)) and	EPO; JPO;	
		(measur\$4 adj bandwidth\$)	DERWENT;	
		,	IBM_TDB	
_	0	((((interact\$4 adj debug\$4) and ((service\$	USPAT;	2003/05/20
		adj stack\$) or socket\$)) and (collect\$4 adj	US-PGPUB;	16:08
		statistic\$)) and (operating adj system)) and	EPO; JPO;	10.00
		(allocat\$4 adj3 copy)		
		(anocato- aujo copy)	DERWENT;	
	4	(///interpot\$4 adi debug\$4) and //e-miles\$	IBM_TDB	2002/05/20
•	-	((((interact\$4 adj debug\$4) and ((service\$	USPAT;	2003/05/20
		adj stack\$) or socket\$)) and (collect\$4 adj	US-PGPUB;	16:09
		statistic\$)) and (operating adj system)) and	EPO; JPO;	
		(simulat\$4 adj environment)	DERWENT;	
	_		IBM_TDB	
-	0	((((((interact\$4 adj debug\$4) and ((service\$	USPAT;	2003/05/20
		adj stack\$) or socket\$)) and (collect\$4 adj	US-PGPUB;	16:09
		statistic\$)) and (operating adj system)) and	EPO; JPO;	
		(simulat\$4 adj environment)) and network\$)	DERWENT;	
		and (target\$ adj construct)	IBM_TDB	
-	4	(((((interact\$4 adj debug\$4) and ((service\$	USPAT;	2003/05/20
		adj stack\$) or socket\$)) and (collect\$4 adj	US-PGPUB;	16:13
		statistic\$)) and (operating adj system)) and	EPO; JPO;	
		(simulat\$4 adj environment)) and network\$	DERWENT;	
			IBM_TDB	
-	1	(multi-channel\$ or multi-service\$) same	USPAT;	2003/05/20
		(target\$ adj construct)	US-PGPUB;	16:13
			EPO; JPO;	
]		DERWENT;	
			IBM_TDB	
-	3	(multi-channel\$ or multi-service\$) and	USPAT;	2003/05/20
		(target\$ adj construct)	US-PGPUB;	16:15
		· - · ·	EPO; JPO;	
			DERWENT;	
	•		IBM_TDB	
-	16	isolat\$4 adj debug\$4	USPAT;	2003/05/20
			US-PGPUB;	16:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	(multi-channel\$ or multi-service\$) and	USPAT;	2003/05/20
		(isolat\$4 adj debug\$4)	US-PGPUB;	16:20
		(EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	<u></u>	L	120	

-	24271	graphical adj user adj interface	USPAT;	2003/05/20
		grapmour day assir day misriass	US-PGPUB;	16:20
			EPO; JPO;	10.20
			DERWENT;	
			IBM_TDB	
	0	dogue\$4 odi ooyo\$	_	0000/05/00
•	"	degug\$4 adj core\$	USPAT;	2003/05/20
			US-PGPUB;	16:21
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	38	debug\$4 adj core\$	USPAT;	2003/05/20
			US-PGPUB;	16:21
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
-	2	(graphical adj user adj interface) and	USPAT;	2003/05/20
		(debug\$4 adj core\$)	US-PGPUB;	16:22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((graphical adj user adj interface) and	USPAT;	2003/05/20
		(debug\$4 adj core\$)) and (multi-channel\$ or	US-PGPUB;	16:23
		multi-service\$)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
_	3239	(714/?).ccls.	USPAT;	2003/05/20
	3233	(1-4/1)100101	US-PGPUB;	16:24
			EPO; JPO;	10:24
			DERWENT;	
			1	
_	4736	(717/1??).ccls.	IBM_TDB	2002/05/00
_	4/30	(/ i // i / i / i / i / i / i / i / i /	USPAT;	2003/05/20
			US-PGPUB;	16:24
			EPO; JPO;	
			DERWENT;	
		(747/200)1-	IBM_TDB	
-	0	(717/2??).ccls.	USPAT;	2003/05/20
			US-PGPUB;	16:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20668	(709/2??).ccls.	USPAT;	2003/05/20
			US-PGPUB;	16:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2979	(709/1??).ccls.	USPAT;	2003/05/20
			US-PGPUB;	16:25
			EPO; JPO;	
			DERWENT;	
			•	
			IBM_TDB	

	3215	(709/3??).ccls.	USPAT;	2003/05/20
1		(4 5 5 7 5 5 7 5 5 5 5 5 5 5 5 5 5 5 5 5	US-PGPUB;	16:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	31850	((714/?).ccls.) or ((717/1??).ccls.) or	USPAT;	2003/05/20
	0.000	((709/2??).ccis.) or ((709/1??).ccis.) or	US-PGPUB;	16:25
		((709/3??).ccis.)	EPO; JPO;	10.20
		((103/3/1/:00/3//	DERWENT;	
			IBM_TDB	
<u> </u>	67	(interact\$4 adj debug\$4) and (((714/?).ccls.)	USPAT;	2003/05/20
-		or ((717/1??).ccis.) or ((709/2??).ccis.) or	US-PGPUB;	16:25
			1	10:25
•		((709/1??).ccls.) or ((709/3??).ccls.))	EPO; JPO;	
			DERWENT;	
<u> </u>	391	(multi channels or multi comices)	IBM_TDB	2003/05/20
•	391	(multi-channel\$ or multi-service\$) and	USPAT;	
		(((714/?).ccls.) or ((717/1??).ccls.) or	US-PGPUB;	16:25
		((709/2??).ccls.) or ((709/1??).ccls.) or	EPO; JPO;	
		((709/3??).ccls.))	DERWENT;	
	4		IBM_TDB	
•	457	((interact\$4 adj debug\$4) and (((714/?).ccls.)	USPAT;	2003/05/20
		or ((717/1??).ccls.) or ((709/2??).ccls.) or	US-PGPUB;	16:26
		((709/1??).ccls.) or ((709/3??).ccls.))) or	EPO; JPO;	
		((multi-channel\$ or multi-service\$) and	DERWENT;	
		(((714/?).ccls.) or ((717/1??).ccls.) or	IBM_TDB	
		((709/2??).ccls.) or ((709/1??).ccls.) or		
		((709/3??).ccls.)))		
-	225	(((interact\$4 adj debug\$4) and	USPAT;	2003/05/20
		(((714/?).ccls.) or ((717/1??).ccls.) or	US-PGPUB;	16:26
		((709/2??).ccls.) or ((709/1??).ccls.) or	EPO; JPO;	
		((709/3??).ccls.))) or ((multi-channel\$ or	DERWENT;	
		multi-service\$) and (((714/?).ccls.) or	IBM_TDB	
		((717/1??).ccls.) or ((709/2??).ccls.) or		
		((709/1??).ccls.) or ((709/3??).ccls.)))) and		
		(real adj time\$)		
-	24	((((interact\$4 adj debug\$4) and	USPAT;	2003/05/20
		(((714/?).ccls.) or ((717/1??).ccls.) or	US-PGPUB;	16:26
		((709/2??).ccls.) or ((709/1??).ccls.) or	EPO; JPO;	
		((709/3??).ccls.))) or ((multi-channel\$ or	DERWENT;	
		multi-service\$) and (((714/?).ccls.) or	IBM_TDB	
		((717/1??).ccls.) or ((709/2??).ccls.) or		
		((709/1??).ccls.) or ((709/3??).ccls.)))) and		
		(real adj time\$)) and ((monitor\$4 or track\$4		
		or check\$4) with data) and (current adj		
L		state\$)	l	<u> </u>

•	0	(((((interact\$4 adj debug\$4) and	USPAT;	2003/05/20
		(((714/?).ccls.) or ((717/1??).ccls.) or	US-PGPUB;	16:27
		((709/2??).ccls.) or ((709/1??).ccls.) or	EPO; JPO;	!
		((709/3??).ccls.))) or ((multi-channel\$ or	DERWENT;	
		multi-service\$) and (((714/?).ccls.) or	IBM_TDB	
		((717/1??).ccis.) or ((709/2??).ccis.) or		
		((709/1??).ccls.) or ((709/3??).ccls.)))) and		
		(real adj time\$)) and ((monitor\$4 or track\$4		
		or check\$4) with data) and (current adj		
		state\$)) and (dynamic\$4 adj allocat\$) and		
		(collect\$4 adj statistic\$) and (operating adj		
		system)		
	10	(((((interact\$4 adj debug\$4) and	USPAT;	2003/05/20
		(((714/?).ccls.) or ((717/1??).ccls.) or	US-PGPUB;	16:27
		((709/2??).ccls.) or ((709/1??).ccls.) or	EPO; JPO;	
		((709/3??).ccls.))) or ((multi-channel\$ or	DERWENT;	
		multi-service\$) and (((714/?).ccls.) or	IBM_TDB	
		((717/1??).ccis.) or ((709/2??).ccis.) or		
		((709/1??).ccis.) or ((709/3??).ccis.)))) and		
		(real adj time\$)) and ((monitor\$4 or track\$4		
		or check\$4) with data) and (current adj		
		state\$)) and ((service\$ adj stack\$) or		
		socket\$)		